

## Publicazioni

### [AMERICAN ASSOCIATION OF CLINICAL ENDOCRINOLOGISTS, AMERICAN COLLEGE OF ENDOCRINOLOGY, AND ASSOCIAZIONE MEDICI ENDOCRINOLOGI MEDICAL GUIDELINES FOR CLINICAL PRACTICE FOR THE DIAGNOSIS AND MANAGEMENT OF THYROID NODULES–2016 UPDATE.](#)

Gharib H, Papini E, Garber JR, Duick DS, Harrell RM, Hegedüs L, Paschke R, Valcavi R, Vitti P; AACE/ACE/AME Task Force on Thyroid Nodules.

Endocr Pract. 2016 May;22(5):622-39. doi: 10.4158/EP161208.GL.

PMID: 27167915

### [Sonography of Normal and Abnormal Thyroid and Parathyroid Glands.](#)

Andrioli M, Valcavi R.

Front Horm Res. 2016;45:1-15. doi: 10.1159/000442273. Epub 2016 Mar 15.

PMID: 27002829Review.

### [Thermal ablation for benign thyroid nodules: radiofrequency and laser.](#)

Baek JH, Lee JH, Valcavi R, Pacella CM, Rhim H, Na DG.

Korean J Radiol. 2011 Sep-Oct;12(5):525-40. doi: 10.3348/kjr.2011.12.5.525. Epub 2011 Aug 24.

PMID: 21927553Free PMC article.Review.

### [Thyroid hormones and growth hormone secretion.](#)

Valcavi R, Zini M, Portioli I.

J Endocrinol Invest. 1992 Apr;15(4):313-30. doi: 10.1007/BF03348744.

PMID: 1512425Review.No abstract available.

### [Thyroid nodule guidelines: agreement, disagreement and need for future research.](#)

Paschke R, Hegedüs L, Alexander E, Valcavi R, Papini E, Gharib H.

Nat Rev Endocrinol. 2011 Jun;7(6):354-61. doi: 10.1038/nrendo.2011.1. Epub 2011 Mar 1.

PMID: 21364517Review.

[Complications of central neck dissection in patients with papillary thyroid carcinoma: results of a study on 1087 patients and review of the literature.](#)

Giordano D, Valcavi R, Thompson GB, Pedroni C, Renna L, Gradoni P, Barbieri V.

Thyroid. 2012 Sep;22(9):911-7. doi: 10.1089/thy.2012.0011. Epub 2012 Jul 24.

PMID: 22827494Review.

[Radiofrequency ablation for thyroid nodules: which indications? The first Italian opinion statement.](#)

Garberoglio R, Aliberti C, Appetecchia M, Attard M, Boccuzzi G, Boraso F, Borretta G, Caruso G, Deandrea M, Freddi M, Gallone G, Gandini G, Gasparri G, Gazzera C, Ghigo E, Grosso M, Limone P, Maccario M, Mansi L, Mormile A, Nasi PG, Orlandi F, Pacchioni D, Pacella CM, Palestini N, Papini E, Pelizzo MR, Piotta A, Rago T, Riganti F, Rosato L, Rossetto R, Scarmozzino A, Spiezia S, Testori O, Valcavi R, Veltri A, Vitti P, Zingrillo M.

J Ultrasound. 2015 Jun 19;18(4):423-30. doi: 10.1007/s40477-015-0169-y. eCollection 2015 Dec.

PMID: 26550079Free PMC article.No abstract available.

[Ultrasound thyroid nodule measurements: the "gold standard" and its limitations in clinical decision making.](#)

Gallo M, Pesenti M, Valcavi R.

Endocr Pract. 2003 May-Jun;9(3):194-9. doi: 10.4158/EP.9.3.194.

PMID: 12917060Review.

[HEALTH-RELATED QUALITY OF LIFE AFTER PERCUTANEOUS RADIOFREQUENCY ABLATION OF COLD, SOLID, BENIGN THYROID NODULES: A 2-YEAR FOLLOW-UP STUDY IN 40 PATIENTS.](#)

Valcavi R, Tsamatropoulos P.

Endocr Pract. 2015 Aug;21(8):887-96. doi: 10.4158/EP15676.OR. Epub 2015 Jun 29.

PMID: 26121459

[\[Sclerosing mucoepidermoid carcinoma with eosinophilia of the thyroid: description of a case\].](#)

Cavazza A, Toschi E, Valcavi R, Piana S, Scotti R, Carlinfante G, Gardini G.

Pathologica. 1999 Feb;91(1):31-5.

PMID: 10396948Review.Italian.

[Levothyroxine liquid solution versus tablet for replacement treatment in hypothyroid patients.](#)

Negro R, Valcavi R, Agrimi D, Toulis KA.

Endocr Pract. 2014 Sep;20(9):901-6. doi: 10.4158/EP13378.OR.

PMID: 24793916

[Ultrasound B-flow imaging in the evaluation of thermal ablation of thyroid nodules.](#)

Andrioli M, Valcavi R.

Endocrine. 2015 Apr;48(3):1013-5. doi: 10.1007/s12020-014-0302-2. Epub 2014 Jun 1. PMID: 24880621

[Thyrotropin values in patients with micropapillary thyroid cancer versus benign nodular disease.](#)

Negro R, Valcavi R, Riganti F, Toulis KA, Colosimo E, Bongiovanni M, Grassi P, Giovanella L, Gardini G, Piana S.

Endocr Pract. 2013 Jul-Aug;19(4):651-5. doi: 10.4158/EP12385.OR.

PMID: 23512387

[Detection and diagnosis of parathyroid incidentalomas during thyroid sonography.](#)

Frasoldati A, Pesenti M, Toschi E, Azzarito C, Zini M, Valcavi R.

J Clin Ultrasound. 1999 Nov-Dec;27(9):492-8. doi: 10.1002/(sici)1097-0096(199911/12)27:9<492::aid-jcu2>3.0.co;2-h.

PMID: 10525210

[The peculiar ultrasonographic and elastographic features of thyroid nodules after treatment with laser or radiofrequency: similarities and differences.](#)

Andrioli M, Valcavi R.

Endocrine. 2014 Dec;47(3):967-8. doi: 10.1007/s12020-014-0241-y. Epub 2014 Mar 25.

PMID: 24664362

[Assessing the risk of false-negative fine-needle aspiration cytology and of incidental cancer in nodular goiter.](#)

Negro R, Piana S, Ferrari M, Ragazzi M, Gardini G, Asioli S, Pacchioni D, Riganti F, Valcavi R.

Endocr Pract. 2013 May-Jun;19(3):444-50. doi: 10.4158/EP12271.OR.

PMID: 23337148

[A longitudinal study of thyroidectomized patients in a region of northern Italy: benign versus malignant disease.](#)

Negro R, Gharib H, Savoldi L, Barbieri V, Valcavi R.

Endocr Pract. 2013 Mar-Apr;19(2):259-62. doi: 10.4158/EP12304.OR.

PMID: 23512384

[Parathyroid incidentaloma discovered during thyroid ultrasound imaging.](#)

Pesenti M, Frasoldati A, Azzarito C, Valcavi R.

J Endocrinol Invest. 1999 Nov;22(10):796-9. doi: 10.1007/BF03343646.

PMID: 10614530

[Long-term efficacy of ultrasound-guided laser ablation for benign solid thyroid nodules. Results of a three-year multicenter prospective randomized trial.](#)

Papini E, Rago T, Gambelunghe G, Valcavi R, Bizzarri G, Vitti P, De Feo P, Riganti F, Misischi I, Di Stasio E, Pacella CM.

J Clin Endocrinol Metab. 2014 Oct;99(10):3653-9. doi: 10.1210/jc.2014-1826. Epub 2014 Jul 22.

PMID: 25050903Clinical Trial.

[A Computer-Interpretable Version of the AACE, AME, ETA Medical Guidelines for Clinical Practice for the Diagnosis and Management of Thyroid Nodules.](#)

Peleg M, Fox J, Patkar V, Glasspool D, Chronakis I, South M, Nassar S, Gaglia JL, Gharib H, Papini E, Paschke R, Duick DS, Valcavi R, Hegedüs L, Garber JR.

Endocr Pract. 2014 Apr;20(4):352-9. doi: 10.4158/EP13271.OR.

PMID: 24246343

[Incidental thyroid cancer in toxic and nontoxic goiter: Is TSH associated with malignanCy rate? Results of a meta-analysis.](#)

Negro R, Valcavi R, Toulis KA.

Endocr Pract. 2013 Mar-Apr;19(2):212-8. doi: 10.4158/EP12234.OR.

PMID: 23186976

[Sinus node function in hyperthyroid patients.](#)

Valcavi R, Menozzi C, Roti E, Zini M, Lolli G, Roti S, Guiducci U, Portioli I.

J Clin Endocrinol Metab. 1992 Jul;75(1):239-42. doi: 10.1210/jcem.75.1.1619016.

PMID: 1619016

[Oral glucose tolerance test: an inhibitory or a stimulatory input to growth hormone secretion?](#)

Valcavi R.

J Endocrinol Invest. 1996 Apr;19(4):253-5. doi: 10.1007/BF03349877.

PMID: 8862507Review.No abstract available.

[Long-term effectiveness of ultrasound-guided laser ablation of hyperfunctioning parathyroid adenomas: present and future perspectives.](#)

Andrioli M, Riganti F, Pacella CM, Valcavi R.

AJR Am J Roentgenol. 2012 Nov;199(5):1164-8. doi: 10.2214/AJR.11.8442.

PMID: 23096194

[Role of thyroglobulin measurement in fine-needle aspiration biopsies of cervical lymph nodes in patients with differentiated thyroid cancer.](#)

Frasoldati A, Toschi E, Zini M, Flora M, Caroggio A, Dotti C, Valcavi R.

Thyroid. 1999 Feb;9(2):105-11. doi: 10.1089/thy.1999.9.105.

PMID: 10090308

[Ultrasound-guided percutaneous laser ablation of papillary thyroid microcarcinoma: a feasibility study on three cases with pathological and immunohistochemical evaluation.](#)

Valcavi R, Piana S, Bortolan GS, Lai R, Barbieri V, Negro R.

Thyroid. 2013 Dec;23(12):1578-82. doi: 10.1089/thy.2013.0279. Epub 2013 Nov 14.

PMID: 23978269

[Pathological findings of thyroid nodules after percutaneous laser ablation : a series of 22 cases with cyto-histological correlation.](#)

Piana S, Riganti F, Froio E, Andrioli M, Pacella CM, Valcavi R.

Endocr Pathol. 2012 Jun;23(2):94-100. doi: 10.1007/s12022-012-9192-0.

PMID: 22246921

[American Association of Clinical Endocrinologists, Associazione Medici Endocrinologi, and European Thyroid Association Medical Guidelines for Clinical Practice for the Diagnosis and Management of Thyroid Nodules.](#)

Gharib H, Papini E, Paschke R, Duick DS, Valcavi R, Hegedüs L, Vitti P; AACE/AME/ETA Task Force on Thyroid Nodules.

Endocr Pract. 2010 May-Jun;16 Suppl 1:1-43. doi: 10.4158/10024.GL.

PMID: 20497938 No abstract available.

[American Association of Clinical Endocrinologists, Associazione Medici Endocrinologi, and European Thyroid Association medical guidelines for clinical practice for the diagnosis and management of thyroid nodules: executive summary of recommendations.](#)

Gharib H, Papini E, Paschke R, Duick DS, Valcavi R, Hegedüs L, Vitti P; AACE/AME/ETA Task Force on Thyroid Nodules.

J Endocrinol Invest. 2010;33(5 Suppl):51-6.

PMID: 20543551

[American Association of Clinical Endocrinologists, Associazione Medici Endocrinologi, and European Thyroid Association medical guidelines for clinical practice for the diagnosis and management of thyroid nodules.](#)

Gharib H, Papini E, Paschke R, Duick DS, Valcavi R, Hegedüs L, Vitti P; AACE/AME/ETA Task Force on Thyroid Nodules.

J Endocrinol Invest. 2010;33(5 Suppl):1-50.

PMID: 20543550

[American Association of Clinical Endocrinologists, Associazione Medici Endocrinologi, and European Thyroid Association medical guidelines for clinical practice for the diagnosis and management of thyroid nodules: Executive Summary of recommendations.](#)

Gharib H, Papini E, Paschke R, Duick DS, Valcavi R, Hegedüs L, Vitti P; AACE/AME/ETA Task Force on Thyroid Nodules.

J Endocrinol Invest. 2010 May;33(5):287-91. doi: 10.1007/BF03346587. Epub 2010 May 17.

PMID: 20479572

[Inhibitor of DNA binding-1 induces mesenchymal features and promotes invasiveness in thyroid tumour cells.](#)

Ciarrocchi A, Piana S, Valcavi R, Gardini G, Casali B.

Eur J Cancer. 2011 Apr;47(6):934-45. doi: 10.1016/j.ejca.2010.11.009. Epub 2010 Dec 9.

PMID: 21146400

[Natural history of gastro-entero-pancreatic and thoracic neuroendocrine tumors. Data from a large prospective and retrospective Italian epidemiological study: the NET management study.](#)

Faggiano A, Ferolla P, Grimaldi F, Campana D, Manzoni M, Davì MV, Bianchi A, Valcavi R, Papini E, Giuffrida D, Ferone D, Fanciulli G, Arnaldi G, Franchi GM, Francia G, Fasola G, Crinò L, Pontecorvi A, Tomassetti P, Colao A.

J Endocrinol Invest. 2012 Oct;35(9):817-23. doi: 10.3275/8102. Epub 2011 Nov 9.

PMID: 22080849

[Assessment of the awareness and management of sleep apnea syndrome in acromegaly. The COM.E.TA \(Comorbidities Evaluation and Treatment in Acromegaly\) Italian Study Group.](#)

De Menis E, Giustina A, Colao A, Degli Uberti E, Ghigo E, Minuto F, Bogazzi F, Drigo R, Cattaneo A, Aimaretti G; COM.E.T.A. Italian Study Group.

J Endocrinol Invest. 2011 Jan;34(1):60-4. doi: 10.1007/BF03346696.

PMID: 21406941

[Challenges in neck ultrasonography: lymphadenopathy and parathyroid glands.](#)

Frasoldati A, Valcavi R.

Endocr Pract. 2004 May-Jun;10(3):261-8. doi: 10.4158/EP.10.3.261.

PMID: 15310545

[American Association of Clinical Endocrinologists, Associazione Medici Endocrinologi, and European Thyroid Association Medical guidelines for clinical practice for the diagnosis and management of thyroid nodules: executive summary of recommendations.](#)

Gharib H, Papini E, Paschke R, Duick DS, Valcavi R, Hegedüs L, Vitti P; AACE/AME/ETA Task Force on Thyroid Nodules.

Endocr Pract. 2010 May-Jun;16(3):468-75. doi: 10.4158/EP.16.3.468.

PMID: 20551008

[CT cross-sectional imaging classification system for substernal goiter based on risk factors for an extracervical surgical approach.](#)

Mercante G, Gabrielli E, Pedroni C, Formisano D, Bertolini L, Nicoli F, Valcavi R, Barbieri V.

Head Neck. 2011 Jun;33(6):792-9. doi: 10.1002/hed.21539. Epub 2010 Aug 24.

PMID: 20737483



[Is a five-category reporting scheme for thyroid fine needle aspiration cytology accurate? Experience of over 18,000 FNAs reported at the same institution during 1998-2007.](#)

Piana S, Frasoldati A, Ferrari M, Valcavi R, Froio E, Barbieri V, Pedroni C, Gardini G.

Cytopathology. 2011 Jun;22(3):164-73. doi: 10.1111/j.1365-2303.2010.00777.x. Epub 2010 Jul 6.

PMID: 20626438

[Percutaneous laser ablation of cold benign thyroid nodules: a 3-year follow-up study in 122 patients.](#)

Valcavi R, Riganti F, Bertani A, Formisano D, Pacella CM.

Thyroid. 2010 Nov;20(11):1253-61. doi: 10.1089/thy.2010.0189. Epub 2010 Oct 7.

PMID: 20929405

[Assessment of the awareness and management of cardiovascular complications of acromegaly in Italy. The COM.E.T.A. \(COMorbidities Evaluation and Treatment in Acromegaly\) Study.](#)

Giustina A, Mancini T, Boscani PF, de Menis E, degli Uberti E, Ghigo E, Martino E, Minuto F, Colao A; COM.E.T.A. (COMorbidities Evaluation and Treatment in Acromegaly) Italian Study Group.

J Endocrinol Invest. 2008 Aug;31(8):731-8. doi: 10.1007/BF03346423.

PMID: 18852535

[Prognostic factors affecting neck lymph node recurrence and distant metastasis in papillary microcarcinoma of the thyroid: results of a study in 445 patients.](#)

Mercante G, Frasoldati A, Pedroni C, Formisano D, Renna L, Piana S, Gardini G, Valcavi R, Barbieri V.

Thyroid. 2009 Jul;19(7):707-16. doi: 10.1089/thy.2008.0270.

PMID: 19348581

[Effect of estrogen therapy for 1 year on thyroid volume and thyroid nodules in postmenopausal women.](#)

Ceresini G, Milli B, Morganti S, Maggio M, Bacchi-Modena A, Sgarabotto MP, Chirico C, Di Donato P, Campanati P, Valcavi R, Ceda GP, Braverman LE, Valenti G.

Menopause. 2008 Mar-Apr;15(2):326-31. doi: 10.1097/gme.0b013e318148b83e.

PMID: 17998883

[Ultrasound-guided percutaneous ethanol injection therapy in thyroid cystic nodules.](#)

Valcavi R, Frasoldati A.

Endocr Pract. 2004 May-Jun;10(3):269-75. doi: 10.4158/EP.10.3.269.

PMID: 15310546Clinical Trial.

[Influence of hyperthyroidism on growth hormone secretion.](#)

Valcavi R, Dieguez C, Zini M, Muruais C, Casanueva F, Portioli I.

Clin Endocrinol (Oxf). 1993 May;38(5):515-22. doi: 10.1111/j.1365-2265.1993.tb00348.x.

PMID: 8330446

[Vasoactive intestinal peptide-induced prolactin release in hypothyroid patients.](#)

Valcavi R, Zini M, Dieguez C, Portioli I.

J Endocrinol Invest. 1993 Nov;16(10):781-5. doi: 10.1007/BF03348926.

PMID: 8144851

[Diagnosis of neck recurrences in patients with differentiated thyroid carcinoma.](#)

Frasoldati A, Pesenti M, Gallo M, Caroggio A, Salvo D, Valcavi R.

Cancer. 2003 Jan 1;97(1):90-6. doi: 10.1002/cncr.11031.

PMID: 12491509

[American Association of Clinical Endocrinologists and Associazione Medici Endocrinologi medical guidelines for clinical practice for the diagnosis and management of thyroid nodules.](#)

Gharib H, Papini E, Valcavi R, Baskin HJ, Crescenzi A, Dottorini ME, Duick DS, Guglielmi R, Hamilton CR Jr, Zeiger MA, Zini M; AACE/AME Task Force on Thyroid Nodules.

Endocr Pract. 2006 Jan-Feb;12(1):63-102. doi: 10.4158/EP.12.1.63.

PMID: 16596732

[Impaired prolactin response to arginine in patients with hyperthyroidism.](#)

Ciccarelli E, Zini M, Grottoli S, Razzore P, Portioli I, Valcavi R.

Clin Endocrinol (Oxf). 1994 Sep;41(3):371-4. doi: 10.1111/j.1365-2265.1994.tb02559.x.

PMID: 7955444

[\[Epidemiologic investigation on the prevalence of goiter and urinary excretion of iodine in the school population of the province of Reggio Emilia\].](#)

Zini M, Poluzzi V, Bertani A, Portioli I, Cavalchi B, Valcavi R.

Ann Ist Super Sanita. 1998;34(3):383-7.

PMID: 10052179Italian.

[\[Parathyroid gland surgery\].](#)

Caroggio A, Gasparri G, Sargiotto A, Serra L, Spriano G, Valcavi R.

Acta Otorhinolaryngol Ital. 2002 Feb;22(1):1-13.

PMID: 12236006Italian.No abstract available.

[Evidence against depletion of the growth hormone \(GH\)-releasable pool in human primary hypothyroidism: studies with GH-releasing hormone, pyridostigmine, and arginine.](#)

Valcavi R, Valente F, Dieguez C, Zini M, Procopio M, Portioli I, Ghigo E.

J Clin Endocrinol Metab. 1993 Sep;77(3):616-20. doi: 10.1210/jcem.77.3.8103770.

PMID: 8103770Clinical Trial.

[Triiodothyronine administration reduces serum growth hormone levels and growth hormone responses to thyrotropin-releasing hormone in patients with anorexia nervosa.](#)

Valcavi R, Zini M, Portioli I.

Psychoneuroendocrinology. 1990;15(4):287-95. doi: 10.1016/0306-4530(90)90079-o.

PMID: 2128417

[Cardiac performance and mass in adults with hypopituitarism: effects of one year of growth hormone treatment.](#)

Valcavi R, Gaddi O, Zini M, Iavicoli M, Mellino U, Portioli I.

J Clin Endocrinol Metab. 1995 Feb;80(2):659-66. doi: 10.1210/jcem.80.2.7852533.

PMID: 7852533Clinical Trial.

[The late growth hormone rise induced by oral glucose is enhanced by cholinergic stimulation with pyridostigmine in normal subjects.](#)

Valcavi R, Zini M, Davoli S, Portioli I.

Clin Endocrinol (Oxf). 1992 Oct;37(4):360-4. doi: 10.1111/j.1365-2265.1992.tb02339.x.

PMID: 1483293Clinical Trial.

[Growth hormone releasing hormone 1-44 NH<sub>2</sub> and 1-40 OH levels in normal subjects during growth hormone stimulation tests.](#)

Page MD, Dieguez C, Valcavi R, Koppeschaar HP, Scanlon MF.

Clin Endocrinol (Oxf). 1994 Jan;40(1):97-102. doi: 10.1111/j.1365-2265.1994.tb02450.x.

PMID: 8306488

[Effects of hypothyroidism and hyperthyroidism on insulin-like growth factors \(IGFs\) and growth hormone- and IGF-binding proteins.](#)

Miell JP, Taylor AM, Zini M, Maheshwari HG, Ross RJ, Valcavi R.

J Clin Endocrinol Metab. 1993 Apr;76(4):950-5. doi: 10.1210/jcem.76.4.7682563.

PMID: 7682563

[Reversible effects of cessation and recommencement of thyroxine treatment on insulin-like growth factors \(IGFs\) and IGF-binding proteins in patients with total thyroidectomy.](#)

Miell JP, Zini M, Quin JD, Jones J, Portioli I, Valcavi R.

J Clin Endocrinol Metab. 1994 Nov;79(5):1507-12. doi: 10.1210/jcem.79.5.7525638.

PMID: 7525638

[Association of elevated insulin-like growth factor binding protein-1 with insulin resistance in hyperthyroidism.](#)

Jenkins RC, Valcavi R, Zini M, Frasoldati A, Heller SR, Camacho-Hubner C, Gibson JM, Westwood M, Ross RJ.

Clin Endocrinol (Oxf). 2000 Feb;52(2):187-95. doi: 10.1046/j.1365-2265.2000.00924.x.

PMID: 10671946Clinical Trial.

[Effect of oral administration of melatonin on GH responses to GRF 1-44 in normal subjects.](#)

Valcavi R, Dieguez C, Azzarito C, Edwards CA, Dotti C, Page MD, Portioli I, Scanlon MF.

Clin Endocrinol (Oxf). 1987 Apr;26(4):453-8. doi: 10.1111/j.1365-2265.1987.tb00802.x.

PMID: 3115632Clinical Trial.

[Growth hormone \(GH\) responses to arginine and L-dopa alone and after GHRH pretreatment.](#)

Page MD, Dieguez C, Valcavi R, Edwards C, Hall R, Scanlon MF.

Clin Endocrinol (Oxf). 1988 May;28(5):551-8. doi: 10.1111/j.1365-2265.1988.tb03690.x.

PMID: 3145820Clinical Trial.

[Large cell neuroendocrine carcinoma of the ampulla of Vater.](#)

Cavazza A, Gallo M, Valcavi R, De Marco L, Gardini G.

Arch Pathol Lab Med. 2003 Feb;127(2):221-3. doi: 10.1043/0003-9985(2003)127<221:LCNCOT>2.0.CO;2.

PMID: 12562240

[Melatonin stimulates growth hormone secretion through pathways other than the growth hormone-releasing hormone.](#)

Valcavi R, Zini M, Maestroni GJ, Conti A, Portioli I.

Clin Endocrinol (Oxf). 1993 Aug;39(2):193-9. doi: 10.1111/j.1365-2265.1993.tb01773.x.

PMID: 8370132Clinical Trial.

[\[Scleroderma in patients with rectal cancer: coincidence or paraneoplastic syndrome?\].](#)

Valcavi R, Fantesini C, Portioli I.

Nouv Presse Med. 1979 Nov 26;8(46):3835.

PMID: 534256French.No abstract available.

[\[Protracted neurologic, tetanic and syncopal syndrome as a complication of idiopathic hypoparathyroidism with endocranial calcifications\].](#)

Fantesini C, Lucci B, Manicardi E, Pilastrri G, Valcavi R.

Riv Neurobiol. 1982 Apr-Jun;27(2):315-20.

PMID: 7123080Italian.No abstract available.

[Influence of thyroid status on serum immunoreactive leptin levels.](#)

Valcavi R, Zini M, Peino R, Casanueva FF, Dieguez C.

J Clin Endocrinol Metab. 1997 May;82(5):1632-4. doi: 10.1210/jcem.82.5.3954.

PMID: 9141562

[The influence of oestrogens on the sensitivity of PRL, TSH and LH to the inhibitory actions of dopamine in hyperprolactinaemic patients.](#)

Valcavi R, Harris PE, Foord SM, Dieguez C, Evans PJ, Peters JR, Hall R, Scanlon MF.

Clin Endocrinol (Oxf). 1985 Aug;23(2):139-46. doi: 10.1111/j.1365-2265.1985.tb00208.x.

PMID: 4053412

[Single oral dose of cimetidine and prolactin.](#)

Valcavi R, Bedogni G, Dall'Asta A, Dotti C, Portioli I.

Lancet. 1978 Sep 2;2(8088):528. doi: 10.1016/s0140-6736(78)92253-5.

PMID: 79897No abstract available.

[Effect of 15-day treatment with growth-hormone-releasing hormone alone or combined with different doses of arginine on the reduced somatotrope responsiveness to the neurohormone in normal aging.](#)

Ghigo E, Ceda GP, Valcavi R, Goffi S, Zini M, Mucci M, Valenti G, Muller EE, Camanni F.

Eur J Endocrinol. 1995 Jan;132(1):32-6. doi: 10.1530/eje.0.1320032.

PMID: 7850007

[Effects of oral glucose administration on spontaneous and growth hormone \(GH\)-releasing hormone-stimulated GH release in children and adults.](#)

Valcavi R, Zini M, Volta C, Ghizzoni L, Azzarito C, Bernasconi S, Portioli I.

J Clin Endocrinol Metab. 1994 Oct;79(4):1152-7. doi: 10.1210/jcem.79.4.7962288.

PMID: 7962288Clinical Trial.

[Octreotide administration, under particular temporal conditions, enhances the responses of growth hormone to growth hormone-releasing hormone in normal subjects.](#)

Valcavi R, Zini M.

Clin Endocrinol (Oxf). 1994 Mar;40(3):379-82.

PMID: 8187302Clinical Trial.

[Alpha-adrenoreceptor blockade with thymoxamine reduces basal thyrotrophin levels but does not influence circadian thyrotrophin changes in man.](#)

Valcavi R, Dieguez C, Azzarito C, Artioli C, Portioli I, Scanlon MF.

J Endocrinol. 1987 Oct;115(1):187-91. doi: 10.1677/joe.0.1150187.

PMID: 2959735

[Effect of thyroxine replacement therapy on plasma insulin-like growth factor 1 levels and growth hormone responses to growth hormone releasing factor in hypothyroid patients.](#)

Valcavi R, Dieguez C, Preece M, Taylor A, Portioli I, Scanlon MF.

Clin Endocrinol (Oxf). 1987 Jul;27(1):85-90. doi: 10.1111/j.1365-2265.1987.tb00842.x.

PMID: 3115637

[Low doses of either intravenously or orally administered arginine are able to enhance growth hormone response to growth hormone releasing hormone in elderly subjects.](#)

Ghigo E, Ceda GP, Valcavi R, Goffi S, Zini M, Mucci M, Valenti G, Cocchi D, Müller EE, Camanni F.

J Endocrinol Invest. 1994 Feb;17(2):113-7. doi: 10.1007/BF03347695.

PMID: 8006330Clinical Trial.

[Pyridostigmine potentiates growth hormone \(GH\)-releasing hormone-induced GH release in both men and women.](#)

Arvat E, Cappa M, Casanueva FF, Dieguez C, Ghigo E, Nicolosi M, Valcavi R, Zini M.

J Clin Endocrinol Metab. 1993 Feb;76(2):374-7. doi: 10.1210/jcem.76.2.8432781.

PMID: 8432781

[Plasma cortisol and aldosterone after ACTH 1-17: effect of different doses.](#)

Casoli P, Valcavi R, Portioli I.

Ric Clin Lab. 1984 Apr-Jun;14(2):167-73. doi: 10.1007/BF02904969.

PMID: 6091240

[Factitious pheochromocytoma: a case for Sherlock Holmes.](#)

Portioli I, Valcavi R.

Br Med J (Clin Res Ed). 1981 Dec 19-26;283(6307):1660-1. doi: 10.1136/bmj.283.6307.1660-b.

PMID: 6797600Free PMC article.No abstract available.



[In obesity, glucose load loses its early inhibitory, but maintains its late stimulatory, effect on somatotrope secretion.](#)

Grottoli S, Procopio M, Maccario M, Zini M, Oleandri SE, Tassone F, Valcavi R, Ghigo E.

J Clin Endocrinol Metab. 1997 Jul;82(7):2261-5. doi: 10.1210/jcem.82.7.4093.

PMID: 9215304

[Lack of effect of muscarinic cholinergic blockade on the GH responses to GRF 1-29 and TRH in acromegalic subjects.](#)

Jordan V, Dieguez C, Valcavi R, Artioli C, Portioli I, Rodriguez-Arno MD, Gomez-Pan A, Hall R, Scanlon MF.

Clin Endocrinol (Oxf). 1986 Apr;24(4):415-20. doi: 10.1111/j.1365-2265.1986.tb01646.x.

PMID: 2874906Clinical Trial.

[Growth hormone responses to GRF 1-29 in patients with primary hypothyroidism before and during replacement therapy with thyroxine.](#)

Valcavi R, Jordan V, Dieguez C, John R, Manicardi E, Portioli I, Rodriguez-Arno MD, Gomez-Pan A, Hall R, Scanlon MF.

Clin Endocrinol (Oxf). 1986 Jun;24(6):693-8. doi: 10.1111/j.1365-2265.1986.tb01666.x.

PMID: 3098458

[Effect of oral glucose on the late growth hormone rise and growth hormone responses to GHRH in normal subjects.](#)

Valcavi R, Zini M, Dieguez C, Portioli I, Scanlon MF.

Clin Endocrinol (Oxf). 1990 May;32(5):539-43. doi: 10.1111/j.1365-2265.1990.tb00895.x.

PMID: 2114240Clinical Trial.

[Alpha-2-adrenergic pathways release growth hormone via a non-GRF-dependent mechanism in normal human subjects.](#)

Valcavi R, Dieguez C, Page MD, Zini M, Casoli P, Portioli I, Scanlon MF.

Clin Endocrinol (Oxf). 1988 Sep;29(3):309-16. doi: 10.1111/j.1365-2265.1988.tb01229.x.

PMID: 2855221Clinical Trial.

[Cerebellar syndrome due to multiple ischemic lesions in hypothyroidism.](#)

Guidetti D, Greco G, Zucco R, Manicardi E, Valcavi R.

Ital J Neurol Sci. 1990 Apr;11(2):183-4. doi: 10.1007/BF02335563.

PMID: 2361855No abstract available.

[Effect of pyridostigmine and pirenzepine on GH responses to GHRH in hyperthyroid patients.](#)

Valcavi R, Dieguez C, Zini M, Page MD, Dotti C, Portioli I, Scanlon MF.

Clin Endocrinol (Oxf). 1991 Aug;35(2):141-4. doi: 10.1111/j.1365-2265.1991.tb03512.x.

PMID: 1934529

[\[Hypokalemic periodic paralysis. Clinical case and etiopathogenetic considerations\].](#)

Lucci B, Valcavi R, Fantesini C, Motti L, Portioli I.

Riv Neurobiol. 1982 Apr-Jun;27(2):296-302.

PMID: 7123078 Italian. No abstract available.